UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/531,916	05/13/2005	Tatsuhiro Terada	123533	3816
25944 OLIEE & DED			EXAMINER	
OLIFF & BERRIDGE, PLC P.O. BOX 19928			HANNON, THOMAS R	
ALEXANDRIA	A, VA 22320		ART UNIT	PAPER NUMBER
			3682	
			MAIL DATE	DELIVERY MODE
			05/09/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)			
Office Action Summary		10/531,916 .	TERADA ET AL.			
		Examiner	Art Unit			
,		Thomas R. Hannon	3682			
Period fo	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANSIONS of time may be available under the provisions of 37 CFR 1.13 SIX (8) MONTHS from the mailing date of this communication. Poperiod for reply is specified above, the maximum statutory period we re to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be tim ill apply and will expire SIX (6) MONTHS from to cause the application to become ABANDONEI	l. ely filed the mailing date of this communication. O (35 U.S.C. § 133).			
Status						
1)🖂	Responsive to communication(s) filed on 09 Ma	arch 2007.				
2a) <u></u> ☐	This action is FINAL . 2b) This action is non-final.					
3)⊠	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposit	on of Claims					
5)□ 6)□ 7)⊠	Claim(s) 1-3 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) is/are rejected. Claim(s) 1-3 is/are objected to. Claim(s) are subject to restriction and/or					
Applicati	Application Papers					
10)⊠	The specification is objected to by the Examiner The drawing(s) filed on <u>19 April 2005</u> is/are: a)[Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction of the oath or declaration is objected to by the Examiner.	☐ accepted or b)☒ objected to b frawing(s) be held in abeyance. See on is required if the drawing(s) is obj	37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority u	ınder 35 U.S.C. § 119					
12)⊠ a)[Acknowledgment is made of a claim for foreign All b Some * c None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priori application from the International Bureau see the attached detailed Office action for a list of	have been received. have been received in Application ty documents have been received (PCT Rule 17.2(a)).	on No d in this National Stage			
Attachmen		·- 🗖				
2) Notic 3) Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	4) Interview Summary (Paper No(s)/Mail Dat 5) Notice of Informal Pa 6) Other:	e			

Application/Control Number: 10/531,916

Art Unit: 3682

The substitute specification filed March 9, 2007 has not been entered because the amendment to the term "relieves" to "relief's" is improper. The objection to the disclosure in the previous Office Action requested the phrase "crush relieves" to be changed throughout to --crush reliefs--. There is no need for an apostrophe in the term. An appropriate substitute specification is required.

Figures 7-9 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claims 1-3 objected to as including the improper "relief's".

This application is in condition for allowance except for the following above matters.

Prosecution on the merits is closed in accordance with the practice under Ex parte Quayle, 25 USPQ 74, 453 O.G. 213, (Comm'r Pat. 1935).

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thomas R. Hannon whose telephone number is (571) 272-7104. The examiner can normally be reached on Monday-Thursday (8:30-7:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Ridley can be reached on (571) 272-6917. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Thomas R. Hannon Primary Examiner Art Unit 3682 Page 3

trh